

www.adilfoam.com









Adil Industrials is offering insulation solutions to its customers with a total quality and service focus. Since its establishment in 1978, Adil Industrials has set fulfilling its customers' needs as the primary goal and accordingly broadened its product range continuously through R&D and machinery investments.

Product development has always been our main strength as a result of R&D focus. With its commitment to total quality and customer-focused mentality Adil Industrials has become one of the leading solution partners in Turkey for plastic and rubber insulation materials.







White Goods Acoustics Electronics **Energy Automobile Packaging Medical & Sports Defense Industry Construction** Heat and Sound Insulation Marine Industry Advertising Aviation HVAC Electricity-Automation Wagon Industry **Machinery**



Abbreviations Used In This Catalogue

- BL Available as block Available as sheet SH RL Available as roll SC Special cutting available
- Available as double sided tape DS
- Available as one sided tape **0**S









Gdiextrusion

Rubber Profile

adilextrusion is offering customer specific solutions using special mold designs at required densities of various raw materials.

Rubber Foam Profile

Rubber foam profiles which are used as vibration isolator and sealing gasket have low density, high elasticity, and high ozone resistance. Depending on customers' needs, can be produced as hose or profile form with or without adhesive.

Some of the areas of use are panel cover gasket, automotive door band, tank cover gasket and cabin gasket.



Rubber Profile

Rubber profiles which are used as vibration isolator and sealing gasket have high density, high elasticity, hardness, high ozone resistance and high shock resistance.

Some of the areas of use are special panel cover gasket, automotive gasket, tank cover gasket, filter gasket, cabin gasket and product carrying rubber in industrial plants.



Gdilfoam Rubber Sponge


Polyethylene **Silicone**Nitrile **Polyurethan EPDM** Neoprene **EVA**

Natural Rubber

PVC BL SH RL SC DS OS AB CT FR AS UV CD

adilfoom offers rubber sponge solutions to sound, heat and water insulation applications. Rubber sponges are produced at our factory at requested densities and thicknesses using broad range of raw materials.







7



Gdi roll develops special solutions to your needs. Using various raw materials, we are able to produce foam and rubber rolls at required thickness, density, elasticity and hardness depending on the applications our products are used.

qdi roll product line can be produced either with one-sided or double-sided self adhesive. We leave the choice of adhesive and liner to our customers. We are able to produce using classic yellow havana liner or film liner which reduces labor hours remarkably due to its better application performance.

Polyethyle

EP

Silico

Gdilroll foam and solid rubber rolls can be produced in following specifications:

- Thickness: 1mm -30mm •
- Width: Up to 1500mm
- In requested colors
- **One-sided self-adhesive**
- Double-sided self-adhesive
- Without adhesive
- Special film supported •

FR AS UV CD AB CT RL DS OS

Poly	vethylene	Has closed cell form. Has durability and low elasticity. Suitable for heat and sound insulation.	
Neoprene		Has closed cell form. Has durability and low elasticity. Has dynamic structure.	
	EVA	Has closed cell form. Resistant against shocks. Suitable for heat and sound insulation.	
	EPDM	Has closed cell form. Resistant against ozone. Suitable for working under wide range of heat levels.	
	Silicone	Has closed co High resistanc Dynamic str	e to heat.
Soli	d Rubber	Has closed co High resistance High density and	to shocks.





gjilape

GDI offers the products you need for sound insulation, heat insulation, and vibration isolation according to requested technical specifications, thickness. Can be produced with or without adhesive.

Adil Industrials has a solid experience in all gaskets used in industrial applications of all manufacturing sectors.


With **Gdilogsket**, we invite you to make use of this experience. In our die-cut and kiss-cut production lines any gasket needs are able to be met based on your needs.





adiliance foam and solid rubber rolls can be produced in following specifications:

- Thickness: 1mm -30mm
- Width: 4mm 1500mm
- In requested colors
- One-sided self-adhesive
- Double-sided self-adhesive
- Without adhesive
- Special film supported





	Adil End.Ür. Kauçuk,Plastik İmalat San.Tic. Ltd. Şti. Factory : 75.Yıl Mah. 5307 Sok. No:113/B 45030 - MANISA, TURKEY Phone : +90(236) 233 16 58 - 236 07 31 Fax : +90(236) 233 95 88 E-mail : bilgi@adil.com.tr			
			www.adilfoam.com	
			FA () KAJANS - M.Halil Haskaraca	

FACKAJANS - M.Halil Haskaraca 0 236 234 3275 Utku Mah. İzmir Cad. 43/A MANİSA